



# Product Sample Picture

4
3
2
1




## GREENERY INTERNATIONAL CUT-SHEET

**Contents**

1. Requirements
2. Container, Door, Exhaust Fan, and Site Dimensions
3. Service-End Components and Dimensions (HVAC, PLUMBING, ELECTRICAL)

**REQUIREMENTS:**

<b>Main Power</b>	380-415V 3-Phase Wye 50Hz 40 Amp Main Breaker
<b>Electrical Outlets</b>	Multi-Socket (Type B, C, E, F, G)
<b>Wifi Data</b>	1 GB/month
<b>Plumbing</b>	Water Usage: ~5gal (19L) per day Main Tank Capacity: 110gal (416L) Seed Tank Capacity: 38gal (144L)
<b>HVAC</b>	Cooling: 3 tons, 36,000 BTU max. Refrigerant: R-410A Cooling Efficiency: 11.0 EER
<b>Insulation</b>	R-28
<b>Ambient Temperature Range</b>	-40°F to 130°F -40°C to 55°C
<b>Shipping Weight</b>	8 tons (16,000 lbs) (7250kg)
<b>Foundation Preparation</b>	Asphalt, trap rock, railroad ties, sonotubes, or a concrete pad



PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FREIGHT FARMS, AND REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FREIGHT FARMS IS PROHIBITED.

SHEET 1 OF 3


4
3
2
1

4
3
2
1




## GREENERY CONTAINER, DOOR, AND EXHAUST DIMENSIONS

**FRONT VIEW & DOOR DIMENSIONS**




**RIGHT VIEW & EXHAUST FAN DIMENSIONS**



EXHAUST PROTRUDES FROM RIGHT SIDE

CARGO DOORS

**TOP VIEW**



4
3
2
1

Landing Site			Container & Equipment			Door Step	Left Door		Right Door			Exhaust Fan		
W	H	L	W	H	L	H	W	H	W	H	Handle height	W	D	H
3.05m	2.95m	15.24m	2.58m	2.90m	12.63m	0.16m	1.40m	2.15m	0.94m	2.15m	1.18m	0.26m	0.14m	0.35m

PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FREIGHT FARMS, AND REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FREIGHT FARMS IS PROHIBITED.

TITLE: GREENERY CONTAINER, DOOR, AND EXHAUST DIMENSIONS		REV: A
SIZE: B	DWG. NO.:	WEIGHT:
		SHEET 2 OF 3

4
3
2
1



For electrical and plumbing connection sizing, reference component dimensions (below)

